

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	741	(copy\$3 replicat\$3 clon\$3) same database near3 (structur\$3 schema\$1 format DDL logic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/10 17:29
S2	0	(copy\$3 replicat\$3 clon\$3) same database near3 (structur\$3 schema\$1 format DDL logic\$3) same (quer\$4 select retriev\$3) with object\$1 near5 defition\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/10 17:32
S3	24	(copy\$3 replicat\$3 clon\$3) same database near3 (structur\$3 schema\$1 format DDL logic\$3) same (quer\$4 select retriev\$3) with object\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 15:06
S4	52	(creat\$3 build\$3 generat\$3) same database near (structur\$3 schema\$1) same (definition near3 language or ddl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/11 11:00
S5	8	(creat\$3 build\$3 generat\$3) same database near (structur\$3 schema\$1) same (definition near3 language or ddl) and (multiple adj database or multi-database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/10 17:48
S6	28	(creat\$3 build\$3 generat\$3) same database near (structur\$3 schema\$1) same (definition near3 language or ddl) and "707"/\$.cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/10 18:03
S7	1057	(creat\$3 build\$3 generat\$3) same database near (structur\$3 schema\$1 format\$3) same (view\$1 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/11 13:52
S8	47	(creat\$3 build\$3 generat\$3) same database near (structur\$3 schema\$1 format\$3) same (view\$1 table\$1) same (object\$1 adj definition\$1 or ddl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:15
S9	0	(creat\$3 build\$3 generat\$3) same database near (structur\$3 schema\$1 format\$3) same (view\$1 table\$1) same (object\$1 adj definition\$1 or ddl) and show near statement\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/11 11:04

EAST Search History

S10	0	(creat\$3 build\$3 generat\$3) same database near (structur\$3 schema\$1 format\$3) same (view\$1 table\$1) and (object\$1 adj definition\$1 or ddl) and show near statement\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/11 11:05
S11	101	(creat\$3 build\$3 generat\$3) same database near (structur\$3 schema\$1 format\$3) same (view\$1 table\$1) and (object\$1 adj definition\$1 or ddl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/11 11:05
S12	62	(creat\$3 build\$3 generat\$3) same database near (structur\$3 schema\$1 format\$3) same (view\$1 table\$1) and (object\$1 adj definition\$1 or ddl) and "707"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/11 13:51
S13	46	(creat\$3 build\$3 generat\$3) same database near (structur\$3 schema\$1 format\$3) same (view\$1 table\$1) and (object\$1 adj definition\$1 or ddl) and "707"/\$.cccls. and (categor\$3 classif\$4 group\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/11 12:37
S14	160	(creat\$3 build\$3 generat\$3) same database near (structur\$3 schema\$1 format\$3) same (object\$1 view\$1 table\$1 index\$1 trigger\$1 procedure\$1) with definition\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/11 13:55
S15	28	(creat\$3 build\$3 generat\$3) same database near (structur\$3 schema\$1 format\$3) same (object\$1 view\$1 table\$1 index\$1 trigger\$1 procedure\$1) with definition\$1 and (multiple adj database\$1 multi-database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/12 11:39
S16	0	show with statement\$1 same (DDL or data adj definition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:17
S17	89	SQL with statement\$1 same (DDL or data adj definition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/12 11:42
S18	181	(SQL with statement\$1 or command\$1) same (DDL or data adj definition\$1) and "707"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 18:32

EAST Search History

S19	52	(SQL with statement\$1 or command\$1) same (DDL or data adj definition\$1) and "707"/\$.ccls. and (creat\$3 build\$3 generat\$3 copy\$3) with database near5 (structure\$3 schema\$ format\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/12 11:44
S20	18	(SQL with statement\$1 or command\$1) same (DDL or data adj definition\$1) and "707"/\$.ccls. and (creat\$3 build\$3 generat\$3 copy\$3) with database near5 (structure\$3 schema\$ format\$4) and @rlad<="20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 15:21
S87	60	(creat\$3 build\$3 generat\$3) same database near (structur\$3 schema\$1 format\$3) same (view\$1 table\$1) same (object\$1 adj definition\$1 or ddl definition adj language\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:17
S88	31	(creat\$3 build\$3 generat\$3) same database near (structur\$3 schema\$1 format\$3) same (view\$1 table\$1) same (object\$1 adj definition\$1 or ddl definition adj language\$1) and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:17
S89	0	show with statement\$1 same (definition adj language\$1 or DDL or object\$1 near3 definition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:18
S90	2061	(display\$3 output\$4) same (definition adj language\$1 or DDL or object\$1 near3 definition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:19
S91	92	(display\$3 output\$4) with view\$1 same (definition adj language\$1 or DDL or object\$1 near3 definition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:20
S92	20	(display\$3 output\$4) with view\$1 same (definition adj language\$1 or DDL or object\$1 near3 definition\$1) and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:20
S93	277	(copy\$3 duplicat\$3 replic\$5) with database near5 structure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 15:05

EAST Search History

S94	955	(copy\$3 replicat\$3 clon\$3) same database near3 (structur\$3 schema\$1 format DDL logic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 15:06
S95	1231	(copy\$3 duplicat\$3 replica replicat\$3 clon\$3) same database near3 (structur\$3 schema\$1 format DDL logic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 15:07
S96	201	(copy\$3 duplicat\$3 replica replicat\$3 clon\$3) same database near3 (structur\$3 schema\$1 format DDL logic\$3) same database near3 (object\$1 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 15:08
S97	64	(copy\$3 duplicat\$3 replica replicat\$3 clon\$3) same database near3 (structur\$3 schema\$1 format DDL logic\$3) same database near3 (object\$1 table\$1) and @rlad<="20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 17:48
S98	2283	(copy\$3 duplicat\$3 replica replicat\$3 clon\$3) same database near3 (object\$1 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 15:19
S99	32	(SQL statement\$1 command\$1) same (DDL or data adj definition\$1) and "707"/\$.ccls. and (creat\$3 build\$3 generat\$3 copy\$3) with database near5 (structure\$3 schema\$ format\$4) and @rlad<="20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 15:32
S10 0	7	S98 and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 15:28
S10 1	2	"6718320".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 15:30
S10 2	2	"20020169745"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 15:30

EAST Search History

S10 3	1970	(quer\$3 retriev\$3) with (schema\$1 DDL or data adj definition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 17:51
S10 4	28	(recursive\$4 iterat\$3) same (quer\$3 retriev\$3) with (schema\$1 DDL or data adj definition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 15:37
S10 5	229	S98 and S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 15:37
S10 6	70	S98 and S103 and @rlad<="20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 15:37
S10 7	0	10/056549	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 15:45
S10 8	1	10/208606	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 17:06
S10 9	91	(copy\$3 duplicat\$3 replica replicat\$3 clon\$3) same database near3 (structur\$3 schema\$1 format DDL logic\$3) with (object\$1 table\$1) and @rlad<="20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 18:20
S11 0	168	(recursiv\$4 iterat\$3 loop\$3 repeat\$3) same (quer\$3 retriev\$3) same (schema\$1 DDL or data adj definition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 18:14
S11 2	4	S109 and S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 17:53
S11 3	163	(copy\$3 duplicat\$3 replica replicat\$3 clon\$3) same database near3 (structur\$3 schema\$1 format DDL logic\$3) same (object\$1 table\$1 view\$1) and @rlad<="20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 18:12

EAST Search History

S11 4	5	S109 and (recursiv\$4 iterat\$3 loop\$3 repeat\$3) with (retriev\$3 extract\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 18:18
S11 5	5	S113 and (recursiv\$4 iterat\$3 loop\$3 repeat\$3) with (retriev\$3 extract\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 18:18
S11 6	124	S113 and (recursiv\$4 iterat\$3 loop\$3 repeat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 18:18
S11 7	90	(iterat\$3 recursiv\$3 loop\$3) same database near3 (structur\$3 schema\$1 format DDL object near2 definition\$1 definition adj language logic\$3) with (view\$1 object\$1 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 18:23
S11 8	0	(iterat\$3 recursiv\$3 loop\$3) same database near3 (structur\$3 schema\$1 format DDL object near2 definition\$1 definition adj language logic\$3) with (view\$1 object\$1 table\$1) and (produc\$3 creat\$3 generat\$3) same "set of definitions"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 18:25
S11 9	42	(iterat\$3 recursiv\$3 loop\$3) same database near3 (structur\$3 schema\$1 format DDL object near2 definition\$1 definition adj language logic\$3) with (view\$1 object\$1 table\$1) and (produc\$3 creat\$3 generat\$3) with (ddl definition\$1 schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 18:26
S12 0	9	S119 and @rlad<="20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 18:26

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	181	(copy\$3 duplicat\$3 replica replicat\$3 clon\$3) same database near3 (structur\$3 schema\$1 format DDL logic\$3) same (object\$1 table\$1 view\$1) and @rlad<="20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 17:23
L2	6	1 and (recursiv\$4 iterat\$3 loop\$3 repeat\$3) with (retriev\$3 extract\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 17:24
L3	42	(iterat\$3 recursiv\$3 loop\$3) same database near3 (structur\$3 schema\$1 format DDL object near2 definition\$1 definition adj language logic\$3) with (view\$1 object\$1 table\$1) and (produc\$3 creat\$3 generat\$3) with (ddl definition\$1 schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 17:25
L4	24	3 and 707/100-200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 17:25